
EXHIBIT "B"

City of Pittston





DATE: May 8, 2019

RE: <u>Condemned Building 385 North Main Street, City of Pittston</u> <u>Notice to Raze Structure Pursuant to Property Maintenance Code</u>

Dear Mr. Bruce:

I am writing concerning your above-captioned structure in the City of Pittston.

This structure includes a commercial unit on the first floor, and an apartment on the second floor, and was condemned on 9/18/2014 due to multiple, serious, persistent, unresolved violations of the International Property Maintenance Code (2009 edition) adopted as the property maintenance code for the City of Pittston (Ordinance, File of Council #9 of 2012).

The violations included, but were not limited to:

- electrical system violations (including, but not limited to: wiring/outlet/wire box deficiencies; locations and conditions of electrical breaker boxes; location and conditions of outlets and luminaires);
- accessibility and access issues related to, but not limited to stair risers, stair widths, stairwell illumination, stair landings and stairwell fire ratings;
- infestation with rodents and insects;
- multiple water or otherwise damaged ceilings in living areas;
- questionable fire prevention code rating of wall and ceiling coverings;
- kitchen and bathroom areas lacking required venting;
- plumbing violations related to venting; interconnections of piping of different materials, lack of sewer cleanouts;
- severely deteriorated roofing shingles and large hole in the roof.

City of Pittston

35 Broad Street, Pittston, PA 18640 Phone: (570) 654-0513 Fax: (570) 602-8246



- structural deficiencies due to water penetration (exterior walls on the south and north sides of the structure have exceeded the designed limits and are now leaning over 12 inches out of plumb from the footer to the roof line and in danger of collapse) the building is of plank frame construction.
- cellar walls were seen to be deteriorated and collapsing in many areas and mold was also evident.

Due to the condemnation and the current condition of the property, it is my opinion, after consultation with an engineer, that this property is so deteriorated and dilapidated that it is dangerous, unsafe, insanitary and otherwise unfit for human habitation or occupancy and it is no longer able to be repaired.


This building continues to pose a risk to emergency personnel and nearby residents, and we are therefore ORDERING the structure be razed within thirty (30) days in accordance with Section 110.1 General Demolition of the Property Maintenance Code, to wit:

"The code official shall order the owner of any premises upon which is located any structure, which in the code official judgment after review is so deteriorated or dilapidated or has become so out of repair as to be dangerous, unsafe, insanitary or otherwise unfit for human habitation or occupancy, and such that it is unreasonable to repair the structure, to demolish and remove such structure"

PURSUANT TO SECTION 110.3 OF THE PROPERTY MAINTENANCE CODE, YOUR FAILURE TO COMPLY WITH THIS DEOMOLITION ORDER WITHIN THIRTY (30) DAYS WILL RESULT IN THE DEMOLITION OF THE PROPERTY BY THE CITY OF PITTSTON WITH ALL COSTS BEING CHARGED AGAINST THE REAL ESTATE.

Additionally, until the building is razed, since there are ongoing complaints from adjacent properties of rats and mice coming from the condemned structure, which is a violation of Section 302.5 Rodent Harborage, we are requiring that the structure be regularly treated by a professional exterminator to abate said rodent harborage.

City of Pittston





This building must also be kept secured at all times in accordance with Property Maintenance Code Section 108.2 Closing of Vacant Structures.

Failure to comply may result in the issuance of a non-traffic citation for each violation of the property maintenance code for day the offense continues. Upon conviction, a fine of not less than \$500.00 or more than \$2,500.00 and court costs will be imposed per violation, and a lien may be placed on the property.

Appeals of this enforcement action under the property maintenance code may be filed within twenty (20) days by filing an application with the City of Pittston Property Maintenance Code Appeals Board, as set forth in Section 111 of the property maintenance code. Please contact the city's administrative offices for the required forms and fee schedule to file this type of appeal.

Thank you. Sincerely,

Harry Smith

Code Enforcement Officer

4700	U.S. Postal Service CERTIFIED MAIL RECEIPT Domestic Mail Only For delivery information, visit our website at www.usps.com OFFICIAL USE
1562	Certified Mail Fee
꼬	© Caldillog Mail 1 ac
	Extra Services & Fees (check box, add fee as appropriate)
0007	
日	Certified Mail Restricted Delivery \$ Here
	Adult Signature Required \$ Tadult Signature Restricted Delivery \$ Tadult
口	Postage:
30708	\$
Ш	Total Postage and Fees
.0	Sent to O O O CC
7016	IP() BAY QUUIX
7	Steel and Apt. No., or POBOX No.
	City, State, ZIP44
	ASTEONII SEDO, APALEZOI SASSYZSIOOZIOOLOV SCEREORISEITORIUSUJUHDOK
	ESSENTED TO THE PROPERTY OF STREET STREET, STREET STREET, STRE

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DE	ELIVERY
Complete Items 1, 2 and 3.	A. Signature	
Print your name and address on the reverse so that we can return the card to you.	х	☐ Agent ☐ Addressee
Attach this card to the back of the mailpiece, or on the front if space permits.	B. Received by (Printed Name)	C. Date of Delivery
1. Article Addressed to: Anaglas Bruce	D. Is delivery address different from I If YES, enter delivery address be	
Douglas Bruce PO Box 26018	·	
Cal. ado. Springs, CD 80936	3. Service Type	
الله الله الله الله الله الله الله الله	FÉAdult Signature ☐ Adult Signature Restricted Delivery ☐ Certified Mail® ☐ Certified Mail Restricted Delivery ☐ Certified Mail Restricted Delivery] Priority Mali Express®] Registered Mali™] Registered Mali Restricted Delivery \$Return Receipt for Marchandise
2 Article Number (Transfer from service label) 7016 3010 0001 1562 4700		Melohanoise 3 Signature Confirmation™ 3 Signature Confirmation Restricted Delivery
PS Form 3811, July 2015 PSN 7530-02-000-9053	Do	mestic Return Receipt

USPS Tracking®

FAQs > (https://www.usps.com/faqs/uspstracking-faqs.htm)

Track Another Package +

Tracking Number: 70163010000115624700

Remove X

Your item was delivered to the front desk, reception area, or mail room at 4:53 pm on May 13, 2019 in COLORADO SPRINGS, CO 80918.

Oblivered

May 13, 2019 at 4:53 pm Delivered, Front Desk/Reception/Mail Room COLORADO SPRINGS. CO 80918

COLORADO SPRINGS, CO 80918

Get Updates

Text & Email Updates

Tracking History

Product Information

See Less ^

Can't find what you're looking for?

Go to our FAQs section to find answers to your tracking questions.

FAQs (https://www.usps.com/faqs/uspstracking-faqs.htm)

Jun/05/2019 3:05:11 PM

USPS - Pittston, PA 570-654-6372

1/1

Page 1 of 1

USPS Tracking Intranet

Help AND THE STATES

Product Tracking & Reporting

भविताव

Brazon

Kapono

Manual Entry

Ratesi Commitments

PTR/EDW

USPS Corporate Apacamts

Ann 49, 2013

USPS Tracking intranet

Delivery Signature and Address



1.On 3/31/15, PTR changed the event description on all varsions of the intranet tracking results for consistency. E.g., on the container results page, the U1 event was UNLOAD but now reflects ARRIVE USPS FACILITY. The change is for the description only.


2."Scheduled Dejivery Date from the ISO" is incorrectly showing "by 8:00pm" on the internet and Intranet tracking results page for International Items: Until This is fixed on the page, please disregerd the time of "by 8:00pm" and adhere to the correct commitment time of 3:00pm; deliveries/ettempts after 3:00pm fail service; Updated; 4/18/19

Tracking Number: 7018 3010 0001 1582 4700

Select Search Type: Quick Gearch

This item with delivered on 08/13/2019 at 16:53:00

: Return to Tracking Phimber Ylew



Product Tracking & Reporting, All Rights Reserved Version: 19,2,4,0,11

Case 3:23-cv-00711-KM Document 11-2 Filed 05/31/23 Page 8 of 9

RÉTUTI OF SERVICE NOTE

El Paso County Sheriff 27 E. Vermijo Avenue Colorado Springs, CO 80903

5/23/19

Case Number:

Rcv date/time: 5/22/2019 8:51 AM

Court: CITY OF PITTSTON

County: EL PASO

State: CO

LETTER

۷s

Writ(s):

CITY OF PITTSTON

DOUGLAS E BRUCE

Service Number: 19003771

Court Date:

Serve: DOUGLAS E BRUCE

Served Date: 5/23/2019 Service Time: 10:35:00 AM

Deputy: AMANDA HARRIS

Address: 4545 IRON HORSE TRAIL COLORADO SPRINGS, CO 80917

Served Name: DOUGLAS E BRUCE

Personally deliver to person to serve or to a business

CITY OF PITTSTON 35 BROAD STREET PITTSTON, PA 18640

Final Status:

SERVED

Fees Paid:

45.70

Final Fees:

\$45.70

Refund Amt:

Refund Check #

Clerk:

A.O.

Amt Due:

\$0.00

State of Colorado County of El Paso Case Number:

Return of Service

<u>Plaintiffs</u>

CITY OF PITTSTON

VS.

Defendants

DOUGLAS E BRUCE

DEPUTY AMANDA HARRIS is sworn upon oath to be over the age of eighteen years; is not a party to the within action; is an employee of the Sheriff's Office in and for the County of El Paso, State of Colorado; and has duly served the within

LETTER

to DOUGLAS E BRUCE: by personally handing a true copy to and leaving the same with.

PERSON TO BE SERVED	PLACE OF SERVICE	DATE AND TIME
DOUGLAS E BRUCE	4545 IRON HORSE TRAIL	5/23/2019
	COLORADO SPRINGS, CO 80917	10:35 AM

Sheriff Costs: \$45.70

Service Number: 19003771

WILLIAM D. ELDER, SHERIFF

day of

Subscribed and sworn to before me this My commission expires D2-15-2021

NOTARY PUBLIC STATE OF COLORADO NOTARY ID 19974002409 MY COMMISSION EXPIRES FEBRUARY 15, 2021

CO_ElPaso_POS_Personal_Notary S 5/24/2019 8:35 AM